

असाधारण

EXTRAORDINARY

भाग II खण्ड 3 उपलण्ड (ii)

PART II-Section 3-Sub-section (ii)

प्राधिकार से प्रकाशिक

PUBLISHED BY AUTHORITY

मई, बिहली, मंगलवार, जुन 1, 1965/ज्येट्ड 11, 1887

No. 113]

NEW DELHI, TUESDAY, JUNE 1, 1965/JYAISTHA 11, 1887

इस भाग में भिन्म पृष्ठ संख्या दी जाती ही जिससे कि यह अलग संकलन के रूप में रुव्य 🖼 सकी।

Separate paging is given to this Part in order that it may be filed as a separate compilation

MINISTRY OF STEEL AND MINES

(Department of 'Mines and Metals)

NOTIFICATIONS

New Delhi, the 1st June, 1965?

S.O. 1732.—In pursuance of clause 4 of the Colliery Control Order, 1945, as continued in force by section 16 of the Essential Commodities Act, 1955 (10 of 1955) and in supersession of the notification of the Government of India in the Ministry of Steel and Mines (Department of Mines and Metals), No. S. Q. 1560, dated the 11th May, 1965, the Central Government hereby fixes the following prices at which coal or coke may be sold by colliery owners:—

TABLE I. - Collieries situated within the States of West Bengal and Bihar.

TABLE I(1).-Non-coking coal of Selected Grade A, Selected Grade B and Grade I.

Can	de of (on!				Price per t	ton (2240 inds)	Price per to kilogram	onne (1,000 is)
Gru	ie or (JOHI				Run-of- mine, Dust coal & Slack coal	Steam coal, Rubble & Smithy nuts	Run-of- mine, Dust, coal & Slack coal	Steam coal, Rubble & Smithy nuts
			_			 Rs. P.	Rs. P.	Rs P.	Rs. P.
Selected Selected Grade I			,	:	:	27.79 26.28 23.91	28·85 27·35 24·95	27 35 25 86 23 53	28:39 26:92 24:56

TABLE I(b)	_Non-cobing	coal o	f Grade	11.	Grade	IIIA	and	Grade	III	B.

G -1: -61						Price per pound		Price per t kilogra	еппе (1,00 6 ms)
Grade of coal						Run-of- mine, Dust coal & Slack coal	Steam coal Rubble & Smithy nuts	Run-of- mine, Dust coal & Slack coal	Steam ccal, Rubble & Smithy nuts
		 -				Rs. P.	Rs. P.	Rs. P.	Rs. P.
Grade II .	•		•	•	•	Not exceeding 22:39	Not exceeding 23.46		Not ex- ceeding 23.09
Grade IIIA .	•	•	•	•	•	Not ex- ceeding 20.89	Not ex- ceeding 21.89		Not ex- ceeding 21.54
Grade IIIB .	•		•	•	•	Not ex- ceeding 19.70	Not ex- ceeding 20'72		Not ex- ceeding 20:39

TABLE I(c).—Coking coal of Grade A to Grade H.

	0-	ade of	F +0.01						Price per pour		Price per t kilog	conne (1,000 grams)
	Gr	aue o	COM						Run-of- mine, Dust coal, & Slack Coals	Steam, coal, Rubble & Smithy nuts	Run-of- mine, Dust coal, & Slack coal	Steam, coal, Rubble & Smithy nuts
_			• •						Rs. P.	Rs. P.	Rs. P	Rs. P.
	Α								29.67	30.41	29:20	30.22
	В			•	•		•	•	28.66	29.71	28.21	29.24
	С			•	•		•	•	27.68	28.71	27.24	28.26
	D			•	•		•		26.16	27.21	26.75	26.78
	E				•		•		25.66	26.41	25.25	26.29
	F				•	•			24.91	25.96	24.52	25.55
	G		•	•	•	•	•	•	24.41	25 46	24 '02	25.06
	H	•		•	•	•	•		24.16	25.23	23.78	24.83

In addition to the price specified in "Table I(c): Coking Coal of Grade A to Grade NOTE .-H", every colliery owner shall be paid the following amount where, in pursuance of an agreement between him and the consumer, the grade of the coal supplied is determined by sampling and analysis at the destination in accordance with the procedure laid down by the Government in this behalf, namely :-

Provided that any dispute in regardeto the application of that procedure or the results of such and ling and analysis shall be referred to the Coal Controller whose decision thereon shall be final and binding on the colliery owner and the consumer.

⁽¹⁾ in the case of any of the grades of coking coal A to E, a sum of Rs. 1.27 P. per ton (Rs. 1.25 P. per tonne);
(11) in the case of any of the grades of coking coal F, G and H, a sum of Re. 0.76

P. per ton (Re. 0.75 P. per tonne):

Gra	de of coal		Price		to n (2240 n d s)		er tor lograi		.000
Gi.	at or coar	Ru	Dust	oal ck	Steam coal, Rubble & Smithy Nuts	Run-o mine, I coal & Slack co	Dust z	team Rubb Smit Nute	le & hy
— — —			Rs.	P.	R s.	Rs.	Р.	Rs.	P.
нн	·	•	ceed	ex ing	cecding	ceedi	ex- ng ·06	ceed	
Nore 1	For the purposes of the Tables mined as follows:—	I(a)	to I(d) th	e grade of	any coal	shal	l be d	cter -
I. NON-C	OKING COAL:								
(a) I	High moisture coals.								
If t	the ash and moisture content the	cof	:						
(i)	do not exceed 17.5 per cent .				Selected (Grade	Α.		
	exceed 17.5 per cent but does not	exc	eed 1	9	Selected G	rade B.			
(iii)	exceed 19 per cent but does not e	excee	d 24 j	per	Grade I.				
(iv)	exceed 24 per cent but does not cent	exc	eed 28	per	Grade II.				
All at	nalysis of high moisture coals will be the conditions given below for 49	carı 8 ho	ried ou urs :	ton.	—72 mesh s	amples	after o	qullik	rat=
Atm	ospheric temperature				40° C±2	c.			
	ative humidity	•	•		: -		er ce	ot.	
(b) Lo	w moisture coals.								
	he ash content thereof ;								
(i)	does not exceed 15 per cent .	•			Selected Gr	ade A.			
(ii)	exceeds 15 per cent but does tot exceeds per cent	ed.	17		Selected G	rade B.			
(iii)	exceeds 17/percent but does not exper cent	rcee(1 20		Grade I.				
(iv)	exceeds 20 per cent but does not exceeds per cent	eed.	24		Grade II.				
(v)	exceeds 24 per cent but does not exceper cent	eed :	2 8		Grade III.	A.			
(vi)	exceeds 28 per cent but does not exceper cent	eed	35 .		Grade III]	в.			
I. COKI	NG COAL:								
If th	e ash content thereof :								
(i)	does not exceed 13 per cent .				Grade A.				
(ii)	exceeds 13 per cent but does not a per cent	exc e	ed 14		Grade B.				
(iii)	exceeds 14 per cent but does not exper cent	ce e d	15		Grade C.				
(iv)	exceeds 15 per cent but does not exper cent	cced	16 •		Grade D.				

		and the state of t
(v)		s 16 per cent but does not exceed 17 per
(m)	exceed: cent	s 17 per cent hut does not exceed 18 per
(vii)		3 18 per cent but does not exceed 19 per
(viii)		s 19 per cent but does not exceed 20 per Grade H.
(in)		s 20 per cent but does not exceed 24 per . Grade HH.
Nor	E 2.—	The expressions 'Low moisture coals' and 'High moisture coals' mean respectively coals containing moisture not exceeding 2 per cent, and coals containing more than 2 per cent moisture.
Nor	те 3	The expression 'coking coal' means all coal which is classified as such by the Coal Board, constituted under the Coal Mines (Conservation and Safety) Act, 1952 (12 of 1952).
Мот	B 4	The price at which all coal produced in the Bagrakote, East Bagrakote, Lethi Valley and Fagu collieries may be sold shall be Rs. 33.48 per ton (2240 pounds). [Rs. 32.95 per tonue (1000 kg.)]. This price shall be free on rail Bagrakote in the case of the Bagrakote and East Bagrakote collieries, free on rail Oodlabari, and Damdim, North East Frontier Railway, in the case of the Lethi Valley Colliery and free on rail Oodlabari, North East Frontier Railway, in the case of the Fagu Colliery.

TABLE I(e). - Soft Coke.

Grade of coke	Price per ton (2240 pounds)	Price per tonne (1,000 kilograms)
	Rs. P.	Rs. P.
Soft Coke —not exceeding 45 per cent ash content	33.08	32.56

NOTE.— The prices given under Tables I(a), I(b), I(c), I(d) and I(e) are for delivery free on rail at or at the loading point nearest to the colliery, or free on tramway or road vehicle at the colliery.

TABLE II

Collieries situated within the States of Gujarat, Madhya Pradesh, Maharashtra and Orissa

Grade of	COS	l		Price per ton	(2240 pounds)	Price per tonne (1,000 kilo- grams)			
				un-of-mine, oust coal and Slack coal	Steam coal, Rubble and Smithy nuts	Run-of-mine, Dust coal and Slack coal	Steam coal, Rubble and Smithy nuts.		
			 	Rs. P.	Rs. P.	Rs. P.	Rs. P.		
Selected Grad	ie			28.76	29.76	28.31	29'29		
Grade I				26.21	27'49	26.09	27.06		
Brade II				25-37	26.39	24.97	25.97		
Grade III				24.39	25:39	24.00	24 99		

NOTE.—For the purposes of Table II, the grade of any coal shall be determined as follows:—

If the ash and moisture content thereof:—

- (ii) exceed 19 per cent but does not exceed 24 per cent . . . Grade I.
- (iii) exceed 24 per cent but does not exceed 28 per cent . . Grade II.
- (iv) exceed 28 per cent but does not exceed 35 per cent . . Grade III.

All analysis of high moisture coals will be carried out on—72 mesh samples after equilibrating under the conditions given below for 48 hours:—

Atmospheric temperature. . . . 40°c±2°c

Relative humidity 60 per cent +2 per cent.

Note 2.—The prices given under Table II above are or delivery free on rail at or at the loading point nearest to the colliery, or free on tramway or road vehicle at the colliery.

TABLE III

Collieries situated within the State of Assam

Name of col	liery				Type of coal	Price per ton (2240 pounds)	Price per tonne (1,000 kilograms
					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Rs. Paise	Rs. Paise
Margherita collieries ways and Trading				il-	Run-of mine Dust coal Hand picked coal Hard cake	35 '90 35 '90 42 '40 95 '69	35:33 35:33 41:73 94:18
Nazira Coal Compan	v Ltd	I., Bo	rgan.		Run-of mine	27.76	27 32
Dilli Colliery of Dilli				цy	Run-of-mine	27.76	27.32
Jeypore Colliery .				٠.	Run-of-mine	27.76	27.32
Koilajan Colliery.				-		28.03	27 59
Bimalapore Colliery		-			Run-of-mine	27.76	27.32
Sheelvata Colliery					Run-of-mine	28 03	27 59

- Note 1.—The prices given under Table III are for delivery free on rail at the colliery in the case of the Margherita collieries of the Assam Rallways and Trading Company Limited and or delivery free on road vehicle at the colliery in the case of the other collieries.
- Note 2.—In the case of sales on free on rail basis by the Nazira Coal Company Limited and the Dilli, Sheelvata Bimalapore, Jaypore and Koilajan cellieries mentioned in Table III above, the free on rail prices shall be determined by adding to the prices mentioned against each in TableIII above, the following amounts namely:—

Nazira Coal Company Limited, Borgan.

Dilli Colliery of Dilli Colliery Co.,
Sheelvata Colliery, Bimalapore Colliery
of Bimalapore Collieries (Private)
Limited and Jeypore Colliery.

Koilajan Colliery

A sum of Rs. 6.90 per ton (2240 pounds) [Rs. 6.79 per tonne (1,000 kilograms)].

(A sum calculated at the rate of 50 Paise per ton (2240 pounds) for each mile [31 Paise per tonne (1,000 kilograms) per Kilometre] of the distance between the pit-head and the rail-head.

A sum calculated at the rate of 75 Paise per ton (2240 pounds) or each mile [46 Paise per tonne (1,000 kilograms) per Kilometre] of the distance between the pit-head and the rail-head.

TABLE IV

Collieries situated within the territories formerly known as Khasi States in the State of Assam

(1) Laitryngew mine of Cherra Chatak Ropeway Company and Thangjinath mine

Name of col	liery	·			Type of coal	Price per ton (2240 pounds)	Price per tonne (1,000 kilograms)
						Rs. Paise	Rs. Paise
Laitryngew mine Thangjinath mine	:	:	<i>:</i>	:	Run-of-mine coal Run-of-mine coal Lump coal	19·28 16·29 19·57	18·98 16·03 19·26

(2) Any other colliery

	Турс	of co	al			Price per ton (2240 pounds)	Price per tonne (1,000 kilograms)
Lump coal . Run-of-mine coal Coke					•	Rs. Paise 19:57 14:32 36:77	Rs. Paise 19 · 26 14 · 09 36 · 19

NOTE.—The prices given under Table IV are ex pit-head.

TABLE V

Collieries situated within the State of Andhra Pradesh

(1) Singareni Group of Collieries (Except Yellendu)

Туре	of coal	Price per ton (2240 pounds)	Price per tonne (1,000 kilograms)	
		 Rs. Paise	Rs. Paise	
Round coal		31.64	31.14	
Separator Nut coal 1"-2	" (25·4 millimetres—, 50·8 millimetres).	31.64	31-14	
Nut coal ½"—1"	(12·7 millimetres— 25·4 millimetres).	30-15	29.67	
Run-of -mine coal .		31.14	30.65	
No. 2 coal		30.64	30.16	
Rough Slack o"-2"	(0 millimetre— . 50 · 8 millimetres).	30-65	30.17	
Slack coal o"	(o millimetre— 12.7 millimetres) and			
0"1"	(0 millimetre— 25.4 millimetres).	28.64	28.19	

(2) Yellendu Colliery

Type of coal		Price per ton (2240 pounds)	Price per tonne (1,000 kilograms)	
		-	Rs. Paise	Rs. Paisc
Round coal			30.64	30.16
Separator Nut coal .			30.64	30.16
Nut coal #"1"	(12·7 millimetres— 25·4 millimetres).		29.14	28.68
Run-of-mine coal .			30.12	29.67
No. 2 coal · ·			29.66	29.19
Rough Slack o'-2"	(0 millimetre— 50·8 millimetres).		29.66	29.19
Slack coal o'-1"	(o millimetre— 12.7 millimetres) and			
O"I"	(o millimetre— 25.4 millimetres.)		27.66	27.22

Note.—The prices given under Table V are for delivery free on rail at or at the loading poin nearest to the colliery or free on tramway or road vehicle at the colliery.

TABLE VI

Coke

Name of steel plants and cokeries producing coke	Grade of coke	Price per ton (2240 pounds)	Price per tonne (1,000 kilograms
Bhilai Steel Plant (Hindus- tan Steel Ltd.)	Hard coke from Bye-product ovens [Large Rubble or Smithy over 1" (over 12.7 millimetres)]	Rs. Paisc	Rs. Paisc
	(i) If the ash content exceeds 24 per cent but does not exceed 30 per cent.	Not exceeding 63.85	Not exceeding 62.84
	(ii) If the ash content does not exceed 24 per cent.	Not exceeding 71.25	Not exceeding 70:12
	Coke Breeze under 4" (under 12.7 millimetres)	Not exceeding 11.88	Not exceeding 11.69
Rourkela Steel Plant (Hindustan Steel Ltd.)	Hard Coke from Bye-product Ovens [Large Rubbel or Smithy over 1/2" (over 12.7 millimetres)] (i) If the ash content exceeds	Not exceeding	Not exceeding
	24 per cent but does no exceed 30 per cent.		58·11
	(ii) If the ash content does no exceed 24 per cent.	t Not exceeding 66.43	Not exceeding 65.38
	Coke Breeze under 1/2" (under 12.7 millimetres).	Not exceeding	Not excedding 10.90
Ourgapur Steel Plant (Hindustan Steel Ltd.) Ourgapur Coke Oven Plant (West Bengal Govt.) Coke Oven Plant, Burnpur (Indian Iron and Steel Company Ltd.)	HardCoke from Bye-products Ovens [Large Rubbel or Smithy over 1/2" (over 12·7 millimetres)] If the ash content does not exceed 24 per cent. Coke Breeze under 1/2" (un-	Not exceeding 63·22 Not exceeding	Not exceeding 62.22
Coke Oven Plant, Jam-7 shedpur (Tata Iron and Steel Company Limited).	der 12·7 millimetres).	10.54	10.37
Bye-product Ovens other than those mentioned above.	Hard Coke [Large Rubbel or Smithy over 1/2" (over 12.7 millimetres)]		
	(i) If the ash content exceeds 24 per cent but does not ex- ceed 30 per cent.	Not exceeding 47.30	Not exceeding 46.55
	(ii) If the ash content does not exceed 24 per cent.	Not exceeding 54.69	Not exceeding 53.83
	Coke Breeze under 1/2" (under 12·7 millimetres)	Not exceeding 9.12	Not exceeding 8.98
Bee-hive and Country Oyens	Hard Coke [Large Rubbel or Smithy over 1/2" (over 12.7 millimetres)].		
	(t) If the ash content exceeds 24 per cent but does not ex- [ceed 30 per cent.	Not exceeding 45.53	Not exceeding 44.81

Name of teel plants and cokeries producing coke	Grade of coke	Price per ton (2240 pounds)	Price per tonne (1,000 kilograms)	
		Rs. Paise	Rs, Paise	
	(ii) If the ash content does not exceed 24 per cent.	Not exceeding 52.95	Not exceeding 52·11	
	Coke Breeze under 1/2" (under 12.7 millimetres).	Not exceeding 8.83	Not exceeding 8.69	

Note:—The Prices given under Table VI above are for delivery free on rail at or at the loading point nearest to the cokery, or free on transway or road vehicle at the cokery.

Explanation:—(i) The prices given in Tables I to VI—

- (a) are exclusive of Stowing Excise Duty, Rescue Station Excise Duty, Soft Coke Cess Excise Duty, Labour Welfare Cess Excise Duty, any tax leviable under the Sales Tax law of any State, or under the Central Sales Tax Act, 1956 (74 of 1956) and any other additional Excise Duty, Cess or impost which the Central Government may hereafter declare to be payable by consumers of coal, but inclusive of all other cesses or imposts;
- (b) are exclusive of de credere agents' margin permissible under clause 6 of the Colliery Control Order, 1945;
- (c) do not apply to retail sales of less than one ton (2240 pounds), or less than I tonne (1,000 kilograms), as the case may be, on any one day for delivery by road, and
- (d) do not apply to overloaded weigh-bridge coal or coke;
- (ii) When delivery is free on rail, the weight charged for shall be the weight ascertained at a railway weigh-bridge and when delivery is free on tramway or road vehicle the weight shall be ascertained in such manner as may be prescribed by the Coal Controller, and
- (iii) the expressions 'tonne', 'millimetre' and 'kilometre' shall have the meanings respectively assigned to them in notification No. S.O. 290 dated the 30th January, 1959 as subsequently amended by notification No. S.O. 1035 dated the 20th April, 1959 of the Government of India in the late Ministry of Commerce and Industry.
- Nothing in this notification shall apply to hard coke having ash content not exceeding 20
 per cent and phosphorus content not exceeding .05 per cent.

[No. C5-12(13)/65-I.]

S.O.1733—In pursuance of clause 4 of the Colliery Control Order, 1945, as continued in force by section 16 of the Essential Commodities Act, 1955 (10 of 1955), and in supersession of the notification of the Government of India in the Ministry of Steel and Mines (Department of Mines and Metals), No. S.O. 1561, dated the 11th May, 1965, the Central Government hereby fixes the following prices at which coal or coke over-loaded at any weigh-bridge may be sold by colliery owners namely:—

Description	Price per ton (2240 pounds)	Price per tonne (1,000 kilograms)
	Rs. Paise	Rs. Paise
(a) All overloaded weigh-bridge coal or coke disposed of at any railway weigh-bridge in West Bengal and Bihar other than at the Mahuda weigh-bridge.	20.65	20:32
(b) All overloaded weigh-bridge coal or coke disposed of at the Mahuda weigh-bridge.	18.64	18.35
(c) Overloaded coal or coke of Bagrakote and East Bagrakote collieries in Darjeeling in West Bengal	32.97	3 2 ·45

Description	Price per ton (2240 pounds)	Price per tonne (1,000 k.logrms)
	Rs. Paisa	Rs. Paisa
All overloaded weigh-bridge coal or coke disposed of at any railway weigh-bridge in the State of Madhya Pradesh, Orissa, Maharashtra and Gujarat	23·84	23·46
All over-loaded weigh-bridge coal or coke disposed of at any railway weigh-bridge in Assam	27:30	26.87
All overloaded weigh-bridge coal or coke disposed of at any railway weigh-bridge in the State of Andhra Pradesh	29.08	28.62

Explanation.— The expression 'Overloaded weigh-bridge coal or coke' means all coal, byproduct and bee-hive hard coke or soft coke which is taken off any loaded wagon and stacked at the railway weight-bridge for the purpose of adjusting the weight of wagons according to permissible axle load.

Note.—The expression 'tonne' shall have the meaning assigned to it in notification of the Government of India in the late Ministry of Commerce and Industry, No. S.O. 290 dated the 30th January 1959 and subsequently amended by notification No. S. O. 1035 dated the 20th April, 1959.

> [No. C5-12(13)/65-II.] R. N. VASUDEVA, Jt. Secy.

ERRATA

In the notification No. S.O. 1560 of the Ministry of Steel and Mines (Deptt. of Mines and Metals), published in the Gazette of India Extraordinary, Part II-Sec. 3(ii), dated the 11th May 1965, the following corrections are to be made:—

- (1) On page 474, under "Table I(b).—Non-coking coal of Grade II, Grade IIIA and Grade IIIB"—
 - (a) against the entry "Grade II" in the first column, the entry in the fifth column,
 - "Not exceeding should read "Not exceeding 23,03" 22.03"
 - (b) against the entry "Grade IIIA" in the first column, the entry in the fifth column,
 - "Not exceeding should read "Not exceeding 21.49" 21.42"
 - (2) On page 475-
 - (a) Under "Table I(d).—Coking coal of Grade HH", against the entry "HH" in the first column, the entry in the second column,
 - "Not exceeding should read "Not exceeding 23.35"
 - (b) Under "Note I"--
 - (i) in the third line, the word "coa" should read "coal".
 - (ii) the word "equilib ting" appearing in the tenth and eleventh line should read "equilibrating
 - (3) On page 476,--
 - (a) in the first line the word "Valle" should read "Valley".
 - (b) in the second line the word "pe" should read "per".
 - (c) in the third line the words "tonne of" should read "tonne".
- (4) On page 478, under "Table V.—Collicries situated within the State of Andhra Pradesh", under heading "(I) Singareni Group of Collieries (Except Yellendu)", the column heading "Prie per ton (2240 poundsj)" should read "Price per ton (2240 pounds)".

(5) On page 479, under "Table VI—Coke" the entry in the first column,— "Durgapur Steel Plant (Hindustan Steel Ltd.) Durgapur Coke Oven Plant (West Bengal Govt.)

Coke Oven Plant, Burnpur (Indian Iron and Steel Company Ltd.)
Coke Oven Plant, Jamshedpur (Tata Iron and Steel Company Limited)"

should read

- "Durgapur Steel Plant (Hindustan Steel Ltd.), Durgapur Coke Oven Plant (West Bengal Govt.), Coke Oven Plant, Burnpur (Indian Iron and Steel Company Ltd.), Coke Oven Plant, Jamshedpur (Tata Iron and Steel Company Limited)."
- (6) On page 480,---
 - (a) in the ninth line, the figures "1945." should read "1545;".
 - (b) in the tenth line, the words and figures "tone (2240 pounds,)" should τead "ton (2240 pounds).".
 - (c) in the fourteenth line, the word "Weights" should read "Weight".